

MATERIAL SAFETY DATA SHEET

NAME OF PRODUCT Enviro-Tek EnviroPower

MSDS DATE:12/12/09

SECTION 1: PRODUCT AND COMPANY IDENTIFICATION

PRODUCT NAME: EnviroPower
SYNONYMS: Power Steering Fluid
PRODUCT CODES:

MANUFACTURER: MMJ Marketing
DIVISION:
ADDRESS: 380 Wingo Heights Road Spartanburg , SC 29305
Unit # 5a
EMERGENCY PHONE: (864) 641-5478
CHEMTREC PHONE:
OTHER CALLS:
FAX PHONE: (864) 578-2720

PRODUCT USE:
PREPARED BY: Mark Saville

SECTION 1 NOTES: mark@envirotekworld.com

SECTION 2: COMPOSITION/INFORMATION ON INGREDIENTS

Classification

Indications of danger : Harmful
R-phrases :
Harmful: may cause lung damage if swallowed

SECTION 3: HAZARDS IDENTIFICATION

Chemical characterization (preparation)

Inhibitors
Preventing agent
Mineral oils
Synthetic agent
Additives

Hazardous components

EC-No.	CAS-No.	Chemical name	Quantity	Classification
265-233-4	64771-72-8	n-paraffine C10 - C13	< 10 %	Xn R65
	N/A	Alcyl dithio phosphate	< 1 %	N R51-53

Proprietary Additive Blend for Power Steering application Ref 161826
Proprietary Seal Conditioner 7446-09-05

SECTION 4: FIRST AID MEASURES

After contact with skin

Take off immediately all contaminated clothing, including underwear and shoes .
Subsequently wash again with: Water and soap.
Seek medical attention if problems persist.

After contact with eyes

Remove contact lenses.
Immediately flush eyes with plenty of flowing water for 10 to 15 minutes holding eyelids apart.

After ingestion

Rinse mouth thoroughly with water.
Do not induce vomiting.
Consult physician.

MATERIAL SAFETY DATA SHEET

NAME OF PRODUCT Enviro-Tek EnviroPower

MSDS DATE:12/12/09

Advice to doctor

Warning about danger of aspiration.

SECTION 5: FIRE-FIGHTING MEASURES

Suitable extinguishing media

Extinguishing powder. Sand. Carbon dioxide (CO₂). Water spray.

Extinguishing media which must not be used for safety reasons

High power water jet.

Special exposure hazards arriving from substance or preparation itself, combustion products, resulting gases

Formation of decomposition products possible.

In case of fire and/or explosion do not breathe fumes.

Special protective equipment for fire-fighters

In case of fire: Wear self-contained breathing apparatus.

Additional information

Cool endangered container in case of fire.

Beat down gas/vapours/mist with water spray.

Contaminated fire-fighting water must be collected separately.

SECTION 6: ACCIDENTAL RELEASE MEASURES

Personal precautions

Wear a self-contained breathing apparatus and chemical resistant suit.

High skid risk because of leaking or spilled product.

Environmental precautions

Do not empty into drains or the aquatic environment.

In case of gas being released or leakage into waters, ground or the drainage system, the appropriate authorities must be informed.

Methods for cleaning up/taking up

Prevent spreading of spillages (e.g. by oil barrier).

Absorb with liquid-binding material (e.g. sand, diatomaceous earth, acid- or universal binding agents).

SECTION 7: HANDLING AND STORAGE

Handling

Material must only be handled in closed installations or systems.

Avoid contact with skin and eyes.

Avoid oil mist

Storage

Requirements for storage rooms and vessels

Keep container tightly closed in a cool, well-ventilated place.

Do not store at temperatures over: 50 °C

Advice on storage compatibility

Should be stored separately from oxidizing agents.

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

Exposure limit values

Exposure controls

Protective and hygiene measures

Take off immediately all contaminated clothing

Avoid contact with skin and eyes.

Keep away from food, drink and animal feeding stuffs.

When using do not eat, drink or smoke.

"Wash hands when done working with material; at breaks, lunch, shift changes, etc."

Respiratory protection

In case of accumulation of fumes/aerosols, provide adequate ventilation.

In case of fire: Wear self-contained breathing apparatus.

Hand protection

Tested protective gloves are to be worn: NBR (Nitrile rubber). FKM (Fluoroelastomer (Viton)). (EN374)

MATERIAL SAFETY DATA SHEET

NAME OF PRODUCT Enviro-Tek EnviroPower

MSDS DATE:12/12/09

Eye protection

Wear tightly sealed safety glasses against possible splashes into the eyes. (EN 166)

Skin protection

Wear suitable protective clothing.

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

General information

Physical state : viscous
Color : Clear
Odour : mild

Important health, safety and environmental information

Changes in the physical state

	Test method
Flash point :	> 100 °C
Lower explosion limits :	
Upper explosion limits :	
Density (at 20 °C) :	0.89 - 0.92 g/cm ³
Water solubility : (at 20 °C)	insoluble
Solubility in other solvents :	Organic solvents

SECTION 10: STABILITY AND REACTIVITY

Conditions to avoid

No decomposition when used as intended.
Keep at temperature not exceeding 50 °C.

Materials to avoid

Oxidizing agents. acid, concentrated.

Hazardous decomposition products

No hazardous decomposition products are known.

SECTION 11: TOXICOLOGICAL INFORMATION

Corrosive and irritant effects

After skin contact: Frequently or prolonged contact with skin may cause dermal irritation.
Irritation of eyes: Irritant effect possible.

Sensitising effects

no danger of sensitization

SECTION 12: ECOLOGICAL INFORMATION

Persistence and degradability

Not easily bio-degradable (according to OECD-criteria).

Further information

Do not empty into drains or the aquatic environment.

SECTION 13: DISPOSAL CONSIDERATIONS

Advice on disposal

Do not dispose with household waste.
Do not empty into drains or the aquatic environment.
Arrange about the exact waste code with the local waste disposal expert.

MATERIAL SAFETY DATA SHEET

NAME OF PRODUCT Enviro-Tek EnviroPower

MSDS DATE:12/12/09

Contaminated packaging

Container must be completely emptied.

SECTION 14: TRANSPORT INFORMATION

Land transport (ADR/RID)

Remarks (land transport)

Not a hazardous material with respect to transportation regulations.

Inland waterways transport

Remarks (inland waterways transport)

Not a hazardous material with respect to transportation regulations.

Marine transport

Remarks (marine transport)

Not a hazardous material with respect to transportation regulations.

Air transport

Remarks (air transport)

Not a hazardous material with respect to transportation regulations.

SECTION 15: REGULATORY INFORMATION

Labelling

Danger symbols :

Xn - Harmful

R phrases

65 Harmful: may cause lung damage if swallowed.

S phrases

02 Keep out of the reach of children.

46 If swallowed, seek medical advice immediately and show this container or label.

National regulatory information

Water contaminating class :

2 - water contaminating

SECTION 16: OTHER INFORMATION

Full text of R-phrases referred to under sections 2 and 3

51 Toxic to aquatic organisms.

53 May cause long-term adverse effects in the aquatic environment.

65 Harmful: may cause lung damage if swallowed.