

MATERIAL SAFETY DATA SHEET

NAME OF PRODUCT Enviro-Tek Oil Supplement

MSDS DATE:12/12/09

SECTION 1: PRODUCT AND COMPANY IDENTIFICATION

PRODUCT NAME: Oil Supplement
SYNONYMS: High Mileage Oil
PRODUCT CODES:

MANUFACTURER: MMJ Marketing
DIVISION:
ADDRESS: 380 Wingo Heights Road Spartanburg , SC 29305
Unit # 5a
EMERGENCY PHONE: (864) 641-5478
CHEMTREC PHONE:
OTHER CALLS:
FAX PHONE: (864) 578-2720

PRODUCT USE:
PREPARED BY: Mark Saville

SECTION 1 NOTES: mark@envirotekworld.com

SECTION 2: COMPOSITION/INFORMATION ON INGREDIENTS

Chemical characterization (preparation)
Additives
Inhibitors
Preventing agent
Mineral oils

Hazardous components

EC-No.	CAS-No.	Chemical name	Quantity	Classification
		Alcyl dithio phosphate	< 10 %	N R51-53
		Base Oils	< 40%	

SECTION 3: HAZARDS IDENTIFICATION

Classification

R-phrases :
Harmful to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

SECTION 4: FIRST AID MEASURES

After contact with skin

Contaminated clothing, including underwear and shoes, must be taken off immediately.
Subsequently wash down with: water and soap.
Consult physician if problems persist.

After contact with eyes

Remove contact lenses.
Immediately flush eyes with plenty of flowing water for 10 to 15 minutes holding eyelids apart.

After ingestion

Rinse mouth with water.
Do not induce vomiting.
Consult physician.

Advice to doctor

Warning about danger of aspiration.

MATERIAL SAFETY DATA SHEET

NAME OF PRODUCT Enviro-Tek Oil Supplement
SECTION 5: FIRE-FIGHTING MEASURES

MSDS DATE:12/12/09

Suitable extinguishing media

Extinguishing powder. Sand. Carbon dioxide (CO₂). Water spray.

Extinguishing media which must not be used for safety reasons

High power water jet.

Special exposure hazards arriving from substance or preparation itself, combustion products, resulting gases

Formation of decomposition products possible.
In case of fire and/or explosion do not breathe fumes.

Special protective equipment for fire-fighters

In case of fire: Wear self-contained breathing apparatus.

Additional information

Cool endangered container in case of fire.
Beat down gas/vapours/mist with water spray.
Contaminated fire-fighting water must be collected separately.

SECTION 6: ACCIDENTAL RELEASE MEASURES

Personal precautions

Wear a self-contained breathing apparatus and chemical resistant suit.
Special skid risk by leaking/spilling product.

Environmental precautions

Do not empty into drains or the aquatic environment.
In cases of gas being released or leakage into waters, the ground or the drainage system the appropriate authorities must be informed.

Methods for cleaning up/taking up

Absorb with liquid-binding material (e.g. sand, diatomaceous earth, acid- or universal binding agents).
Prevent allover extension (e.g.knocking-down or a boom).

SECTION 7: HANDLING AND STORAGE

7.1 Handling

Advice on safe handling

Material must only be handled in closed apparatus or systems.
Avoid contact with skin and eyes.
Avoid oil mist

7.2 Storage

Requirements for storage rooms and vessels

Keep container tightly closed in a cool, well-ventilated place.
Do not store at temperatures over: 50 °C

Advice on storage compatibility

Should be stored separately from oxidizing agents.

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1 Exposure limit values

8.2 Exposure controls

Protective and hygiene measures

Take off immediately all contaminated clothing
Avoid contact with skin and eyes.
Keep away from food, drink and animal feeding stuffs.
When using do not eat, drink or smoke.
Wash hands when done working with material; at breaks, lunch, shift changes, etc.

Respiratory protection

Provide for good ventilation, when develop aerosols/mist.
In case of fire: Wear self-contained breathing apparatus.

MATERIAL SAFETY DATA SHEET

NAME OF PRODUCT Enviro-Tek Oil Supplement

MSDS DATE:12/12/09

Hand protection

Tested protective gloves are to be worn: NBR (Nitrile rubber). FKM (Fluoroelastomer). (EN374)

Eye protection

Wear tightly sealed safety glasses against possible splashes into the eyes. (EN 166)

Skin protection

Wear suitable protective clothing.

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

9.1 General information

Physical state viscous
Color Red
Odour Mild

9.2 Important health, safety and environmental information

	Test method
Changes in the physical state	
Flash point	> 100 °C
Lower explosion limits	
Upper explosion limits	
Density (at 20 °C) :	0.89 - 0.92 g/cm ³
Water solubility :	insoluble
at (20 °C)	
Solubility in other solvents	Organic solvents

SECTION 10: STABILITY AND REACTIVITY

Conditions to avoid

No decomposition when used as intended.
Keep at temperature not exceeding 50 °C.

Materials to avoid

Oxidizing agents. acid, concentrated.

Hazardous decomposition products

No hazardous decomposition products are known.

SECTION 11: TOXICOLOGICAL INFORMATION

Corrosive and irritant effects

Following skin contact: Frequently or prolonged contact with skin may cause dermal irritation.
Irritation of eyes: Irritant effect possible.

Sensitising effects

no danger of sensitization.

SECTION 12: ECOLOGICAL INFORMATION

Persistence and degradability

not easily bio-degradable (according to OECD-criteria).

Additional information

Do not empty into drains or the aquatic environment.

SECTION 13: DISPOSAL CONSIDERATIONS

Advice on disposal

Do not dispose with household waste.
Do not empty into drains or the aquatic environment.
Arrange about the exact waste code with the local waste disposal expert.

Contaminated packaging

Container must be completely emptied.

MATERIAL SAFETY DATA SHEET

NAME OF PRODUCT Enviro-Tek Oil Supplement

MSDS DATE:12/12/09

SECTION 14: TRANSPORT INFORMATION

Land transport (ADR/RID)

Remarks (land transport)

Not a hazardous material with respect to transportation regulations.

Inland waterways transport

Remarks (inland waterways transport)

Not a hazardous material with respect to transportation regulations.

Marine transport

Remarks (marine transport)

Not a hazardous material with respect to transportation regulations.

Air transport

Remarks (air transport)

Not a hazardous material with respect to transportation regulations.

SECTION 15: REGULATORY INFORMATION

15.1 Labelling

R phrases

52/53 Harmful to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

S phrases

02 Keep out of the reach of children.

46 If swallowed, seek medical advice immediately and show this container or label.

15.2 National regulations

Water contaminating class 2 - water contaminating

SECTION 16: OTHER INFORMATION

List of relevant R phrases

51 Toxic to aquatic organisms.

53 May cause long-term adverse effects in the aquatic environment.

52/53 Harmful to aquatic organisms, may cause long-term adverse effects in the aquatic environment.